



MULTISTYLE



The MULTISTYLE mirror surfaces in a noble mosaic look are particularly flexible and can be glued over curves without any problems. A must have in the display and decoration sector.




NEW


MS 5x5 flex Aqua
980 x 980 | SA 27809




MS 5x5 flex Hollywood
980 x 980 | SA 27376



MS 5x5 flex Gold
980 x 980 | SA 27373



MS 5x5 flex Silver
980 x 980 | SA 27377



□ MS 5x5 flex Aqua

MULTISTYLE

MS 5x5

PRODUCT CHARACTERISTICS

	SA
Surface material	PET
Base material	HIPS
Material thickness mm	1,2
Temperature resistance	until 50 °C
Wet room suitability	■ ■ □ □
Abrasion resistance	■ ■ □ □ □ □
Abrasion resistance	■ ■ ■ ■ ■ □
Rolled packable Carton 480 x 480 mm, lay rolled goods flat upon receipt	✓ decor side outside, max. 6 pcs/carton
Smallest bending radius mm	20
Weight/panel kg	~ 1,24

PROCESSING


	SA
Cutting, punching	✓
Drilling	✓
Sawing, milling	—
Laser cutting	✓
Hot bending	—
Thermoforming	—
PVA pressing	—
Digital printing Hollywood, Aqua	✓*
Digital printing Gold, Silver	On request*
Screen printing	—

* own printing test required, samples are gladly provided.


EXTRA EQUIPMENT | ACCESSORIES

	SA
PVA pre-treatment	—
Special sizes	✓
Maximum length mm	3000
Maximum width mm	1000


	SA
Further thicknesses	—
Magnetic from 3 sheets	✓
Cuttings	✓
Flammability ASTM E84	—
Flammability EN13501-1	—




MS 10x10 flex Gold
980 x 980 | SA 27374



MS 10x10 flex Silver
980 x 980 | SA 27378



MS 20x20 flex Gold
980 x 980 | SA 27375



MS 20x20 flex Silver
980 x 980 | SA 27379



□ MS 20x20 flex Silver

Photo: Malo Clinic at El Corte Ingles – Lisboa

MULTISTYLE

MS 10x10 / 20x20

PRODUCT CHARACTERISTICS

	SA
Surface material	PET
Base material	HIPS
Material thickness mm	1,2
Temperature resistance	until 50 °C
Wet room suitability	■ ■ □ □
Abrasion resistance	■ ■ □ □ □ □
Abrasion resistance Silver	■ ■ ■ ■ ■ □
Rolled packable Carton 480 x 480 mm, lay rolled goods flat upon receipt	✓ decor side outside, max. 6 pcs/carton
Smallest bending radius mm	35 MS 10x10 flex
	50 MS 20x20 flex
Weight/panel kg	~ 1,24

EXTRA EQUIPMENT | ACCESSORIES

	SA
PVA pre-treatment	—
Special sizes	✓
Maximum length mm	3000
Maximum width mm	1000

PROCESSING

	SA
Cutting, punching	✓
Drilling	✓
Sawing, milling	—
Laser cutting	✓
Hot bending	—
Thermoforming	—
PVA pressing	—
Digital printing	On request*
Screen printing	—

* own printing test required, samples are gladly provided.

	SA
Further thicknesses	—
Magnetic from 3 sheets	✓
Cuttings	✓
Flammability ASTM E84	—
Flammability EN13501-1	—